

APPENDIX C

OASIS Items Used in Calculation of Outcome Measures Appearing in OBQI Reports

OASIS Items Used in Calculation of Outcome Measures Appearing in OBQI Reports

RISK-ADJUSTED OUTCOME REPORT

Outcome Measure	OASIS Items Used
All Outcome Measures	M0066 Birth Date (at SOC/ROC) M0090 Date Assessment Completed (at SOC/ROC, used to calculate age; patient must be at least 18 and no more than 120 years) M0100 Reason for Assessment (episode must begin with RFA = 01, 02, or 03, and end with RFA = 06, 07, or 09) M0570 When Confused (at SOC/ROC, must not = NA Patient nonresponsive) M0580 When Anxious (at SOC/ROC, must not = NA Patient nonresponsive)
All End-Result Outcome Measures	M0100 Reason for Assessment (episode must end with RFA = 09)
Improvement in Grooming	M0640 Grooming (at SOC/ROC and at Discharge)
Stabilization in Grooming	M0640 Grooming (at SOC/ROC and at Discharge)
Improvement in Upper Body Dressing	M0650 Ability to Dress Upper Body (at SOC/ROC and at Discharge)
Improvement in Lower Body Dressing	M0660 Ability to Dress Lower Body (at SOC/ROC and at Discharge)
Improvement in Bathing	M0670 Bathing (at SOC/ROC and at Discharge)
Stabilization in Bathing	M0670 Bathing (at SOC/ROC and at Discharge)
Improvement in Toileting	M0680 Toileting (at SOC/ROC and at Discharge)
Improvement in Transferring	M0690 Transferring (at SOC/ROC and at Discharge)
Stabilization in Transferring	M0690 Transferring (at SOC/ROC and at Discharge)
Improvement in Ambulation/Locomotion	M0700 Ambulation/Locomotion (at SOC/ROC and at Discharge)
Improvement in Eating	M0710 Feeding or Eating (at SOC/ROC and at Discharge)
Improvement in Light Meal Preparation	M0720 Planning and Preparing Light Meals (at SOC/ROC and at Discharge)
Stabilization in Light Meal Preparation	M0720 Planning and Preparing Light Meals (at SOC/ROC and at Discharge)
Improvement in Laundry	M0740 Laundry (at SOC/ROC and at Discharge)
Stabilization in Laundry	M0740 Laundry (at SOC/ROC and at Discharge)
Improvement in Housekeeping	M0750 Housekeeping (at SOC/ROC and at Discharge)
Stabilization in Housekeeping	M0750 Housekeeping (at SOC/ROC and at Discharge)

RISK ADJUSTED OUTCOME REPORT (Cont'd)

Outcome Measure	OASIS Items Used
Improvement in Shopping	M0760 Shopping (at SOC/ROC and at Discharge)
Stabilization in Shopping	M0760 Shopping (at SOC/ROC and at Discharge)
Improvement in Phone Use	M0770 Ability to Use Telephone (at SOC/ROC and at Discharge)
Stabilization in Phone Use	M0770 Ability to Use Telephone (at SOC/ROC and at Discharge)
Improvement in Management of Oral Medications	M0780 Management of Oral Medications (at SOC/ROC and at Discharge)
Improvement in Dyspnea	M0490 Short of Breath (at SOC/ROC and at Discharge)
Improvement in Urinary Tract Infection	M0510 Urinary Tract Infection (at SOC/ROC and at Discharge)
Improvement in Urinary Incontinence	M0520 Urinary Incontinence or Urinary Catheter Presence (at SOC/ROC and at Discharge)
	M0530 Urinary Incontinence (at SOC/ROC and at Discharge)
Improvement in Bowel Incontinence	M0540 Bowel Incontinence Frequency (at SOC/ROC and at Discharge)
Improvement in Confusion Frequency	M0570 When Confused (at SOC/ROC and at Discharge)
Utilization Outcome Measures	
Discharged to Community	M0100 Reason for Assessment (at Discharge or Transfer)
	M0870 Discharge Disposition (at Discharge)
Acute Care Hospitalization	M0100 Reason for Assessment (at Discharge or Transfer)
	M0855 Inpatient Facility (at Transfer)

DESCRIPTIVE OUTCOME REPORT

Outcome Measure	OASIS Items Used
All Outcome Measures	M0066 Birth Date (at SOC/ROC) M0090 Date Assessment Completed (at SOC/ROC, used to calculate age; patient must be at least 18 and no more than 120 years) M0100 Reason for Assessment (episode must begin with RFA = 01, 02, or 03, and end with RFA = 06, 07, or 09) M0570 When Confused (at SOC/ROC, must not = NA Patient nonresponsive) M0580 When Anxious (at SOC/ROC, must not = NA Patient nonresponsive)
All End-Result Outcome Measures	M0100 Reason for Assessment (episode must end with RFA = 09)
Stabilization in Management of Oral Medications	M0780 Management of Oral Medications (at SOC/ROC and at Discharge)
Improvement in Speech and Language	M0410 Speech and Oral (Verbal) Expression of Language (at SOC/ROC and at Discharge)
Stabilization in Speech and Language	M0410 Speech and Oral (Verbal) Expression of Language (at SOC/ROC and at Discharge)
Improvement in Pain Interfering with Activity	M0420 Frequency of Pain (at SOC/ROC and at Discharge)
Improvement in Number of Surgical Wounds	M0440 Skin Lesion/Open Wound (at SOC/ROC and at Discharge) M0482 Surgical Wound (at SOC/ROC and at Discharge) M0484 Current Number of (Observable) Surgical Wounds (at SOC/ROC and at Discharge)
Improvement in Status of Surgical Wounds	M0440 Skin Lesion/Open Wound (at SOC/ROC and at Discharge) M0482 Surgical Wound (at SOC/ROC and at Discharge) M0488 Status of Most Problematic (Observable) Surgical Wound (at SOC/ROC and at Discharge)
Improvement in Cognitive Functioning	M0560 Cognitive Functioning (at SOC/ROC and at Discharge)
Stabilization in Cognitive Functioning	M0560 Cognitive Functioning (at SOC/ROC and at Discharge)
Improvement in Anxiety Level	M0580 When Anxious (at SOC/ROC and at Discharge)
Stabilization in Anxiety level	M0580 When Anxious (at SOC/ROC and at Discharge)
Improvement in Behavior Problem Frequency	M0620 Frequency of Behavior Problems (at SOC/ROC and at Discharge)
Utilization Outcome Measures	
Any Emergent Care Provided	M0830 Emergent Care (at Discharge or Transfer)